

(no attributes associated with this tag)

<SELECTORCODE>

The <SELECTORCODE> tag contains the message Selector Code.

```
<SELECTORCODE>NBA--</SELECTORCODE>
```

(no attributes associated with this tag)

<KEYWORD>

The <KEYWORD> tag contains the slug portion of the message.

```
<KEYWORD>bc-nba-xbox-miami</KEYWORD>
```

(no attributes associated with this tag)

<VERSION>

The <VERSION> tag contains the game in-progress information (teams, score, quarter, status/time, and message type).

```
<VERSION>BOSTON---MIAMI-----12009908FINA89</VERSION>
```

(no attributes associated with this tag)

<DATE>

The <DATE> tag contains the date the message was generated.

```
<DATE>01-02</DATE>
```

(no attributes associated with this tag)

<WORDCOUNT>

The <WORDCOUNT> tag contains a zero (0) for all messages, and is currently unused.

```
<WORDCOUNT>0000</WORDCOUNT>
```

(no attributes associated with this tag)

<DATETIME>

The <DATETIME> tag contains a timestamp indicating when the message was transmitted.

```
<DATETIME>st 01-02-02 10:03 et</DATETIME>
```

(no attributes associated with this tag)

<AWAYTEAM>

The <AWAYTEAM> tag contains the team code for the Visiting Team.

```
<AWAYTEAM>BOSTON</AWAYTEAM>
```

(no attributes associated with this tag)

<HOMETEAM>

The <HOMETEAM> tag contains the team code for the Home Team.

```
<HOMETEAM>MIAMI</HOMETEAM>
```

(no attributes associated with this tag)

<AWAYSCORE>

The <AWAYSCORE> tag contains the score for the Visiting Team.

```
<AWAYSCORE>120</AWAYSCORE>
```

(no attributes associated with this tag)

<HOMESCORE>

The <HOMESCORE> tag contains the score for the Home Team.

```
<HOMESCORE>099</HOMESCORE>
```

(no attributes associated with this tag)

<PERIOD>

The <PERIOD> tag contains a value representing the current quarter of the game.

```
<PERIOD>08</PERIOD>
```

(no attributes associated with this tag)

<STATUSCODE>

The <STATUSCODE> tag contains a value representing the a status of the game, or time remaining in the quarter.

```
<STATUSCODE>FINA</STATUSCODE>
```

(no attributes associated with this tag)

<MESSAGETYPE>

The <MESSAGETYPE> tag contains a value representing the type of message.

```
<MESSAGETYPE>89</MESSAGETYPE>
```

(no attributes associated with this tag)

<PLAYER>

The <PLAYER> tag contains the Player Stats for each team.

```
<PLAYER lastname="Pierce" firstname="Paul" teamcode="BOSTON" id="1234567"  
jersey="22" pos="F" minutes="42" fgm="12" fga="19" ftm="8" fta="8"  
oreb="6" dreb="7" totreb="13" assists="5" fouls="4" steals="3"  
turnovers="2" points="32" reason="-" seconds="2527">  
</PLAYER>
```

Attribute	Description	Max Size
lastname	Player Last Name	25
firstname	Player First Name	20
teamcode	Team Code	10
id	ID Number	7
jersey	Jersey Number	2
pos	Position	2
minutes	Minutes Played	3
fgm	Field Goals Made	2
fga	Field Goals Attempted	2
ftm	Free Throws Made	2
fta	Free Throws Attempted	2
oreb	Offensive Rebounds	2
dreb	Defensive Rebounds	2
totreb	Total Rebounds	2
assists	Assists	2
fouls	Fouls	1
steals	Steals	2
turnovers	Turnovers	2
points	Points Scored	3
reason	Reason for Not Playing	50
seconds	Total Seconds Played	4

<TEAM>

The <TEAM> tag contains the Team Stats for each team.

```
<TEAM code="BOSTON" minutes="240" fgm="40" fga="94" ftm="22" fta="27"  
oreb="12" dreb="37" totreb="49" assists="17" fouls="22" steals="8"  
turnovers="19" points="120" teamrebs="3" team_turnovers="11"  
turnover_pts="14" seconds="14400">  
</TEAM>
```

Attribute	Description	Max Size
code	Team Code	10
minutes	Minutes Played	3
fgm	Field Goals Made	3
fga	Field Goals Attempted	3
ftm	Free Throws Made	3
fta	Free Throws Attempted	3
oreb	Offensive Rebounds	3
dreb	Defensive Rebounds	3
totreb	Total Rebounds	3
assists	Assists	3
fouls	Fouls	3
steals	Steals	3
turnovers	Turnovers	3
points	Points Scored	3
teamrebs	Team Rebounds	3
team_turnovers	Team Turnovers	3
turnover_pts	Points Off Turnovers	3
seconds	Total Seconds Played	5

<LINESCORE>

The <LINESCORE> tag contains the Quarter-by-Quarter scoring for each team.

```
<LINESCORE teamcode="BOSTON" homeaway="A" qtr1="27" qtr2="38" qtr3="31" qtr4="24"
  overtime="-" final="120">
</LINESCORE>
<LINESCORE teamcode="MIAMI" homeaway="H" qtr1="33" qtr2="14" qtr3="23" qtr4="29"
  overtime="-" final="99">
</LINESCORE>
```

Attribute	Description	Max Size
teamcode	Team Code	10
homeaway	Home/Away Indicator (H=Home, A=Away)	1
qtr1	1 st Quarter Score	2
qtr2	2 nd Quarter Score	2
qtr3	3 rd Quarter Score	2
qtr4	4 th Quarter Score	2
overtime	Overtime Score	2
final	Final Score	3

<MISCPLAYERSTATS>

The <MISCPLAYERSTATS> tag contains the Miscellaneous Player Stats for each team.

```
<MISCPLAYERSTATS lastname="Pierce" firstname="Paul" teamcode="BOSTON" id="1234567"
  jersey="22" fg3m="6" fg3a="8" blocks="1" technicals="0" flagrant="0">
</MISCPLAYERSTATS>
```

Attribute	Description	Max Size
lastname	Player Last Name	25
firstname	Player First Name	20
teamcode	Team Code	10
id	ID Number	7
jersey	Jersey Number	2
fg3m	3-Pt Field Goals Made	2
fg3a	3-Pt Field Goals Attempted	2
blocks	Blocked Shots	2
technicals	Technical Fouls	1
flagrant	Flagrant Fouls	1

<MISCTEAMSTATS>

The <MISCTEAMSTATS> tag contains the Miscellaneous Teams Stats for each team.

```
<MISCTEAMSTATS code="BOSTON" fg3m="9" fg3a="21">
</MISCTEAMSTATS>
```

Attribute	Description	Max Size
code	Team Code	10
fg3m	3-Pt Field Goals Made	3
fg3a	3-Pt Field Goals Attempted	3

<OFFICIALS>

The <OFFICIALS> tag contains the Game Officials.

```
<OFFICIALS name1="Dick Bavetta" name2="John Smith" name3="Ed Bradley">
</OFFICIALS>
```

Attribute	Description	Max Size
name1	Name of Official #1	25
name2	Name of Official #2	25
name3	Name of Official #3	25

<GAME>

The <GAME> tag contains the Game Information, including attendance and time.

```
<GAME attendance="19,763" time="2:24">  
</GAME>
```

Attribute	Description	Max Size
attendance	Attendance	7
time	Time of Game	5